BOARD MEETING	G DATE: August 6, 2021	AGENDA NO. 12
REPORT:	Hearing Board Report	
SYNOPSIS:	This reports the actions taken by the Heaperiod of May 1 through June 30, 2021.	ring Board during the
COMMITTEE:	No Committee Review	
RECOMMENDED Receive and file.	ACTION:	

Cynthia Verdugo-Peralta Hearing Board Chair

ft

Two summaries are attached: May and June 2021 Hearing Board Cases and Rules From Which Variances and Orders for Abatement Were Requested in 2021. An index of South Coast AQMD Rules is also attached.

There were no appeals filed during the period of May 1 to June 30, 2021.

Report of May 2021 Hearing Board Cases

Case Name and Case No. (South Coast AQMD Attorney)	Rules	Reason for Petition/Hearing	South Coast AQMD Position/Hearing Board Action	Type and Length of Variance or Order	Excess Emissions		
1. Air Liquide Large Industries U.S., LP Case No. 5705-10 (No Appearance; Consent Calendar)	203(b) 2004(f)(1) 3002(c)(1)	Additional time is needed for the vendor to complete construction and ship the replacement unit.	Not Opposed/Granted	MFCD/EXT granted commencing 5/28/2021 and continuing through 10/31/21.	None		
2. Booster Fuels, Inc. Case No. 6171-3 (M. Reichert & Brian Tomasovic)	N/A	Respondent filed motion to partially dismiss petitioner's appeal petition, citing that the Board lacked authority to grant relief under the H&S Code.	Opposed/Granted	The Board granted Respondent's motion to partially dismiss petitioner's appeal requesting authorization for an additional six on- demand mobile fueling vehicles.	N/A		
 Northrop Grumman Systems Corporation Case No. 3534-16 (J. Lee & M. Reichert) 	203(b) 1469.1(d) 2004(f) 3002(c)(1)	To meet rule requirements, petitioner must install HEPA filters to vent its spray paint booths.	Not Opposed/Granted	RV granted commencing 5/12/21 and continuing through 10/12/21, the FCD.	Chromium: .00017 lb/day		
 South Coast AQMD vs. City of San Bernardino Municipal Water Department Case No. 6124-2 (No Appearance; Consent Calendar) 	N/A	Status Report	Stipulated/Issued	The Board Mod. O/A to change the next status hearing to 5/5/22.	N/A		
5. South Coast AQMD vs. Hughes Bros. Aircrafters, Inc. Case No. 6037-2 (B. Tomasovic)	1420(h)(5)	Respondent is improperly storing materials at the facility that can generate fugitive lead-dust emissions.	Stipulated/Issued	O/A issued commencing 5/20/21; the Hearing Board shall retain jurisdiction over this matter until 5/20/22.	N/A		

Acronyms H&S Code: Health and Safety Code HEPA: High Efficiency Particulate Air FCD: Final Compliance Date MFCD/EXT: Modification of a Final Compliance Date and Extension of a Variance Mod. O/A: Modification Order for Abatement O/A: Order for Abatement

N/A: Not Applicable RV: Regular Variance

Report of June 2021 Hearing Board Cases

Case Name and Case No. (South Coast AQMD Attorney)	Rules	Reason for Petition/Hearing	South Coast AQMD Position/Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
 City of San Bernardino Municipal Water Department Case No. 6124-1 (M. Reichert) 	203(b) 1110.2(d)(1)(B)(ii) 1110.2(f)(1)(C)(ii) 1110.2(f)(1)(D)(iii) 1110.2(f)(1)(H)(i)	Petitioner sought to modify Increments of Progress; delivery of custom part delayed, due to COVID-19 pandemic.	Not Opposed/Granted	Interim Authorization granted commencing 6/29/21 and continuing through 730/21.	CO: 702 lb/day NOx: 17.45 lb/day VOC: 47.9 lb/day
2. Los Angeles County-Internal Services Department Case No. 6127-5 (J. Lee & D. Hsu)	203(b)	Emergency generators to exceed the annual permitted 200-hour limit due to Southern California Edison's PSPS outage protocol.	No Position/Granted	MFCD/EXT granted commencing 6/30/21 and continuing through 12/31/2021.	Oat Nike-Facility #191715 VOC: 4.08 lb/hr. NOx: 21.84 lb/hr. SOx: .024 lb/hr. CO: 1.2 lb/hr. PM: 1.2 lb/hr. Oat Mountain-Facility #68968 VOC: 16.08 lb/hr. NOx: 50.78 lb/hr. SOx: 0.24 lb/hr. CO: 1.2 lb/hr.
3. Matchmaster Dyeing & Finishing, Inc. Case No. 6110-2 (B. Tomasovic)	1100(e)(1)(B)	Additional time needed, for delivery of new replacement, low-NOx boiler due to manufacturer delays resulting from the COVID- 19 pandemic.	Not Opposed/Granted	RV granted commencing 6/23/21 and continuing through 8/29/21.	above the 200-hour limit. NOx: 11.02 lb/day
 4South Coast AQMD vs. Legacy By-Products LLC Case No. 3462-4 (D. Hsu) 	415(d)(1)(B)(ii) 415(d)(1)(C)(ii) 415(e)(1) 415(e)(5) 415(e)(6)	Modification requested to equipment and processes to come into compliance.	Stipulated/Issued	Mod. O/A issued commencing 6/17/21 and continuing through 9/30/22. The Hearing Board shall retain jurisdiction over this matter until 9/30/22.	N/A

Case Name and Case No. (South Coast AQMD Attorney)	Rules	Reason for Petition/Hearing	South Coast AQMD Position/Hearing Board Action	Type and Length of Variance or Order	Excess Emissions
 South Coast AQMD vs. Mission Foods Case No. 5400-4 (K. Manwaring) 	202(c) 203(b) 1147 1153.1	Allow more time for VOC testing to reach 95% with control efficiency on new low NOx burner.	Stipulated/Issued	Mod. O/A issued commencing 6/24/21 and continuing through12/31/21. The Hearing Board shall retain jurisdiction over this matter until 12/31/21.	N/A
6. South Coast AQMD vs. Ralphs Grocery Company Case No. 6166-1 (K. Roberts)	2004(f)(1)	Additional time is needed to complete this project, as the Respondent is waiting for SCE to conduct onsite witness approval.	Stipulated/Issued	Mod. O/A issued commencing 6/1/21 and continuing through 8/30/21. The Hearing Board shall retain jurisdiction over this matter until 8/30/21.	N/A

Acronyms CO: Carbon Monoxide MFCD/EXT: Modification of a Final Compliance Date and Extension of a Variance Mod. O/A: Modification Order for Abatement N/A: Not Applicable NOx: Oxides of Nitrogen PM: Particulate Matter PSPS: Public Safety Power Shutdown RV: Regular Variance SCE: Southern California Edison SOx: Oxides of Sulfur VOC: Volatile Organic Compounds

Rules from which Variances and Orders for Abatement were Requested in 2021													
Rules	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total Actions
202(c)						1							1
203(b)	2	3	2	5	2	3							17
415(d)(1)(B)(ii)						1							1
415(d)(1)(C)(ii)						1							1
415(e)(1)						1							1
415(e)(5)						1							1
415(e)(6)						1							1
462(d)(1)				1									1
462(e)(1)(E)(i)(II)				1									1
1100(e)(1)(B)			2			1							3
1110.2(d)(1)(B)(ii)						1							1
1110.2(f)(1)(C)(ii)						1							1
1110.2(f)(1)(D)(iii)						1							1
1110.2(f)(1)(H)(i)						1							1
1146(c)(1)(I)			1										1
1146(c)(4)			1										1
1146(e)(4)			1										1
1147						1							1
1150.1(e)(1)		1											1
1153.1						1							1
1420(h)(5)					1								1
1421	9	6											15
1469	1												1
1469.1(d)					1								1
2004(f)(1)		3	2	2	2								9
3002(c)(1)	1	3	1	3	2								10

SOUTH COAST AQMD RULES AND REGULATIONS INDEX 2021 HEARING BOARD CASES AS OF JUNE 30, 2021

REGULATION II – PERMITS

- Rule 202 Temporary Permit Operate
- Rule 203 Permit to Operate

REGULATION IV – PROHIBITIONS

- Rule 415 Odors from Rendering Facilities
- Rule 462 Organic Liquid Loading

REGULATION XI - TOXICS AND OTHER NON-CRITERIA POLLUTANTS

- Rule 1100 Implementation Schedule for NOx Facilities
- Rule 1110.2 Emissions from Gaseous and Liquid-Fueled Engines
- Rule 1146 Emissions of Oxides of Nitrogen from Industrial, Institutional and Commercial Boilers, Steam Generators, and Process Heaters
- Rule 1147 NOx Reductions from Miscellaneous Sources
- Rule 1150.1 Control of Gaseous Emissions from Municipal Solid Waste Landfills
- Rule 1153.1 Emissions of Oxides of Nitrogen from Commercial Food Ovens

REGULATION XIV - TOXICS AND OTHER NON-CRITERIA POLLUTANTS

- Rule 1420 Emissions Standards for Lead
- Rule 1421 Control of Perchloroethylene Emissions from Dry Cleaning Systems
- Rule 1469 Hexavalent Chromium Emissions from Chromium Electroplating and Chromic Acid Anodizing Operations
- Rule 1469.1 Spraying Operations Using Coatings Containing Chromium

REGULATION XX – REGIONAL CLEAN AIR INCENTIVES MARKET (RECLAIM)

Rule 2004 Requirements

REGULATION XXX – TITLE V PERMITS

Rule 3002 Requirements