



SOUTH COAST AQMD
CLERK OF THE BOARDS

December 2, 2016

'16 DEC -2 P4:21

CN: 15279

Ms. Cher Snyder
Assistant Deputy Executive Officer
Office of Engineering and Compliance
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, CA 91765

**PROJECT: EXIDE TECHNOLOGIES FACILITY ID NO. 124838,
ORDER FOR ABATEMENT CASE NO. 3151-32**
RE: WEEKLY STATUS REPORT # 113 (11/3/16 – 11/9/16)

Dear Ms. Snyder,

Tetra Tech Inc. is pleased to present the following Weekly Status Report for the above referenced project. This report covers the period of November 3, 2016 through November 9, 2016.

CURRENT ACTIVITIES WHERE PREVIOUSLY APPROVED MITIGATION MEASURES WERE FULLY IMPLEMENTED

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) during this reporting period where mitigation measures were observed to be implemented in full compliance with the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD, at the site during this period include:

TASK ID	Major Work Item	Mitigation Measure(s)
EX83/4	RCRA RFI Soil Sampling	Temporary Enclosure Under Negative Pressure*
EX115	Sediment Removal from Equalization Tanks	Maintain Wetted Surfaces

* Dust Trak monitoring performed for this work item.

RCRA RFI Soil Sampling

RCRA RFI Soil Sampling resumed on November 7, 2016 in the surface water impoundment area. Advanced Geoscience and their subcontractors Cascade Drilling, and Avocet mobilized to the site to continued RCRA RFI Soil Sampling. On Monday, November 7, 2016 Cascade Drilling and Avocet mobilized a limited access geo-probe rig to the site and used a crane to lower it into the surface water impoundment. Soil sampling activities began at location TB-102S using the geo-probe to collect driven soil samples. Castlerock constructed a temporary enclosure adjacent to the stormwater impoundment that was maintained under negative pressure and vented to an SCAQMD

Tetra Tech BAS, Inc.

1360 Valley Vista Drive, Diamond Bar, CA 91765
Tel 909.860.7777 Fax 909.860.8017 www.tetrattech.com

permitted HEPA filtration systems. Activities within the enclosure included the logging and processing of samples collected at each boring location. During this reporting period soil samples were collected at boring locations TB-102S, TB-103S, and TB-104S. Tetra Tech personnel were onsite to verify that RCRA RFI Soil Sampling activities were completed in accordance with the SCAQMD approved mitigation plans and the DTSC approved work plan. RCRA RFI Soil Sampling will continue into the next reporting period.

Verification activities included:

- Upwind and Downwind Dust Trak monitoring when sampling activities were conducted to monitor for fugitive dust emissions. Review of Dust Trak data did not indicate that work associated with the RCRA RFI Soil Sampling was generating fugitive dust emissions.
- Confirmation that negative pressure was maintained by checking the gauge on the temporary enclosures.
- Periodic visual inspection of the temporary enclosures to confirm that no visible leaks or tears were present, that the structural integrity of the enclosures were maintained and that they were under negative pressure and vented to a SCAQMD permitted HEPA filtration system. Any noted areas where seams needed to be re-taped were repaired by Castlerock prior to resuming work within the enclosures. Any observed conditions requiring repair were addressed immediately.

Sediment Removal from Equalization Tanks

No work occurred related to the sediment removal from the Equalization Tanks. Removal of sediment from Equalization Tank #1 will occur during a future reporting period when it will not impact water treatment activities.

CURRENT ACTIVITIES WHERE A DEVIATION FROM PREVIOUSLY APPROVED MITIGATION MEASURES WERE OBSERVED AND THE CORRECTIVE ACTIONS TAKEN

Major items of work performed by Exide and/or its contractor(s) (including specific mitigation measures) currently under way or completed during this reporting period where for each of the activities described below, mitigation measures were implemented which to some extent deviated from the previously approved mitigation measures under the Mitigation Plan for RCRA RFI Sampling, and Other Plant Activities or other Mitigation Plans, as approved by the SCAQMD:

TASK ID	Major Work Item	Deviation(s)	CORRECTIVE ACTION
None			

In general accordance with the Order for Abatement Case No. 3151-32 Findings and Decision, air monitoring, if required, was conducted during a portion of all repair work performed within the temporary enclosures on a daily basis. If the results of

continuous Dust Trak air monitoring detected excessive dust, additional suppression activities are required to be implemented. For this reporting period, Dust Trak monitoring did not detect excessive dust being generated from repair activities.

Activity Which Resulted in Excessive Dust	Additional Suppression Activity
None	None

ACTUAL vs. FORECAST PROGRESS:

Exide Technologies submitted a schedule which outlines the tasks needed to be completed in response to this abatement order. The attached Gant Chart shows scheduled progress for all activities planned for the upcoming two week period. The following table shows the status of these activities.

TASK	STATUS
None	None

WORK SCHEDULED DURING THE UPCOMING PERIOD:

The following activities are anticipated for the upcoming weeks:

Week	Anticipated Activities
Nov. 10 – Nov. 16	<ul style="list-style-type: none"> • RCRA RFI Soil Sampling

Week	Anticipated Activities
Nov. 17 - Nov. 23	<ul style="list-style-type: none"> • RCRA RFI Soil Sampling

KEY MILESTONES:

The following key milestones were achieved during this reporting period:

- o None at this time.

WORKER SAFETY CONCERNS:

The following Health and Safety issues, as they apply to Tetra Tech employees, were observed during this reporting period:

- o None.

POTENTIAL CHANGES AND ACTION ITEMS REQUIRING RESOLUTION:

The following items require resolution:


- o None at this time.

SUMMARY:

The summary provided herein covers the activities for the period of November 3, 2016 through November 9, 2016. Tetra Tech personnel were onsite to attend routine weekly meetings on Thursday, November 3, 2016 and Monday, November 7, 2016, and to observe mitigation plan work scheduled for Monday, November 7, 2016 through Wednesday, November 9, 2016. Please find attached a copy of Exide's upcoming two weeks schedule and site map identifying the location of the activities on the upcoming two weeks schedule.

Should you have questions regarding this report, or require additional information, please contact me at your earliest convenience.

Sincerely,



Nick Somogyi
Project Engineer


ATTACHMENTS:
Gant Chart Schedule
Site Map
Field Data Sheets

Gant Chart Schedule

Project Schedule

Week of 11/03/16 – 11/24/16

Rev: 11/10/2016

 Recycling Division, Vernon, CA							10/5/16		11/12/16				11/19/16				11/26/16													
							03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Mitigation Plan Risks	Task Name	Plant Location	Duration	Start Date	Finish Date	%																								
Ex 72	Cleaning of Assorted Materials in Total Enclosure	Total Enclosure	772 days	11/20/14	12/31/16	80%																								
Ex 76	Various Work Methods in Total Enclosure	Total Enclosure	771 days	11/21/14	12/31/16	80%																								
4	RCRA RFI Soil Sampling	General	13 days	11/07/16	11/23/16	97%																								
Ex 83	RFI Soil Sampling Supplemental	General	13 days	11/07/16	11/23/16	97%																								
Ex 115	Sediment Removal from EQ Tanks	WWTP	-	3/7/16	12/31/16	50%																								

*Numbering system correlates with Mitigation plan document.
Ex refers to additional work part of Sec. 6b in the Mitigation plan document.*

Site Map



Mitigation Project Map Layout

Week 11/03/16 – 11/24/16

Rev: 11/10/2016


4. RCRA RFI Soil Sampling

Ex 83. RFI Soil Sampling Supplemental

Ex 72. Cleaning of Assorted Materials in Total Encl.

Ex 76. Various Work Methods in Total Enclosure

Ex 115. Sediment Removal from EQ Tanks



Numbering system correlates with Mitigation plan document. Ex refers to additional work part of Sec. 6b in the Mitigation plan document.

Mitigation Schedule and Map_11/10/2016.pptx

Monitoring Results / Reports
(Monday, November 7, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

11/7/2016 EX-83 Drilling in the
Retention Pond

Test 001

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/07/2016
Instrument S/N	8533113401	Start Time	11:10:49
		Stop Date	11/07/2016
		Stop Time	15:10:49
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/07/2016	11:25:49	0.055	0.055	0.057	0.068	0.071
2	11/07/2016	11:40:49	0.043	0.044	0.044	0.046	0.046
3	11/07/2016	11:55:49	0.046	0.047	0.047	0.049	0.049
4	11/07/2016	12:10:49	0.051	0.052	0.052	0.054	0.054
5	11/07/2016	12:25:49	0.056	0.056	0.057	0.058	0.058
6	11/07/2016	12:40:49	0.060	0.061	0.062	0.063	0.063
7	11/07/2016	12:55:49	0.063	0.064	0.064	0.066	0.066
8	11/07/2016	13:10:49	0.066	0.066	0.067	0.068	0.068
9	11/07/2016	13:25:49	0.069	0.069	0.070	0.071	0.071
10	11/07/2016	13:40:49	0.066	0.067	0.067	0.069	0.069
11	11/07/2016	13:55:49	0.062	0.062	0.063	0.064	0.064
12	11/07/2016	14:10:49	0.057	0.058	0.058	0.059	0.059
13	11/07/2016	14:25:49	0.054	0.054	0.055	0.056	0.056
14	11/07/2016	14:40:49	0.051	0.051	0.052	0.053	0.053
15	11/07/2016	14:55:49	0.049	0.049	0.050	0.050	0.051
16	11/07/2016	15:10:49	0.049	0.050	0.050	0.051	0.051

Test 001

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/07/2016
Instrument S/N	8533132408	Start Time	11:17:59
		Stop Date	11/07/2016
		Stop Time	15:02:59
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/07/2016	11:32:59	0.019	0.020	0.020	0.024	0.026
2	11/07/2016	11:47:59	-0.018	-0.017	-0.017	-0.015	-0.014
3	11/07/2016	12:02:59	-0.021	-0.021	-0.020	-0.018	-0.017
4	11/07/2016	12:17:59	-0.017	-0.016	-0.015	-0.013	-0.013
5	11/07/2016	12:32:59	-0.009	-0.009	-0.008	-0.006	-0.006
6	11/07/2016	12:47:59	-0.005	-0.004	-0.003	0.000	0.000
7	11/07/2016	13:02:59	-0.001	-0.001	0.000	0.000	0.001
8	11/07/2016	13:17:59	0.015	0.015	0.016	0.018	0.019
9	11/07/2016	13:32:59	0.018	0.019	0.020	0.022	0.023
10	11/07/2016	13:47:59	0.015	0.016	0.017	0.019	0.019
11	11/07/2016	14:02:59	0.009	0.010	0.010	0.012	0.012
12	11/07/2016	14:17:59	0.008	0.009	0.009	0.010	0.011
13	11/07/2016	14:32:59	0.003	0.004	0.004	0.005	0.006
14	11/07/2016	14:47:59	0.002	0.002	0.003	0.004	0.004
15	11/07/2016	15:02:59	0.002	0.002	0.003	0.004	0.004

Monitoring Results / Reports
(Tuesday, November 8, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

11/8/2016 EX-83 Drilling in the
Retention Pond

Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/08/2016
Instrument S/N	8533113401	Start Time	06:49:56
		Stop Date	11/08/2016
		Stop Time	15:34:56
		Total Time	0:08:45:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/08/2016	07:04:56	0.038	0.039	0.040	0.044	0.044
2	11/08/2016	07:19:56	0.041	0.041	0.043	0.045	0.045
3	11/08/2016	07:34:56	0.035	0.036	0.037	0.040	0.040
4	11/08/2016	07:49:56	0.023	0.023	0.024	0.026	0.026
5	11/08/2016	08:04:56	0.031	0.032	0.034	0.041	0.042
6	11/08/2016	08:19:56	0.023	0.024	0.026	0.031	0.031
7	11/08/2016	08:34:56	0.012	0.013	0.013	0.014	0.014
8	11/08/2016	08:49:56	0.012	0.013	0.013	0.014	0.014
9	11/08/2016	09:04:56	0.011	0.012	0.012	0.013	0.013
10	11/08/2016	09:19:56	0.014	0.014	0.014	0.015	0.015
11	11/08/2016	09:34:56	0.012	0.013	0.013	0.014	0.014
12	11/08/2016	09:49:56	0.012	0.013	0.013	0.014	0.014
13	11/08/2016	10:04:56	0.011	0.012	0.012	0.013	0.013
14	11/08/2016	10:19:56	0.011	0.011	0.012	0.013	0.013
15	11/08/2016	10:34:56	0.010	0.011	0.011	0.012	0.012
16	11/08/2016	10:49:56	0.010	0.010	0.011	0.012	0.012
17	11/08/2016	11:04:56	0.010	0.011	0.011	0.012	0.012
18	11/08/2016	11:19:56	0.012	0.012	0.013	0.014	0.014
19	11/08/2016	11:34:56	0.012	0.012	0.013	0.014	0.014
20	11/08/2016	11:49:56	0.016	0.016	0.017	0.020	0.020
21	11/08/2016	12:04:56	0.013	0.013	0.014	0.016	0.016
22	11/08/2016	12:19:56	0.014	0.014	0.015	0.016	0.016
23	11/08/2016	12:34:56	0.015	0.015	0.016	0.018	0.018
24	11/08/2016	12:49:56	0.013	0.013	0.014	0.015	0.015
25	11/08/2016	13:04:56	0.013	0.013	0.013	0.015	0.015
26	11/08/2016	13:19:56	0.023	0.023	0.024	0.026	0.026
27	11/08/2016	13:34:56	0.025	0.026	0.026	0.028	0.028
28	11/08/2016	13:49:56	0.023	0.024	0.024	0.026	0.026
29	11/08/2016	14:04:56	0.021	0.021	0.022	0.023	0.023
30	11/08/2016	14:19:56	0.018	0.018	0.019	0.020	0.020
31	11/08/2016	14:34:56	0.022	0.023	0.023	0.025	0.025
32	11/08/2016	14:49:56	0.023	0.024	0.024	0.026	0.026
33	11/08/2016	15:04:56	0.023	0.024	0.024	0.025	0.025
34	11/08/2016	15:19:56	0.021	0.022	0.022	0.023	0.023
35	11/08/2016	15:34:56	0.019	0.019	0.019	0.021	0.021

Test 002

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/08/2016
Instrument S/N	8533132408	Start Time	07:08:03
		Stop Date	11/08/2016
		Stop Time	15:38:03
		Total Time	0:08:30:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/08/2016	07:23:03	0.039	0.040	0.041	0.046	0.047
2	11/08/2016	07:38:03	0.026	0.027	0.028	0.031	0.032
3	11/08/2016	07:53:03	0.031	0.032	0.034	0.042	0.044
4	11/08/2016	08:08:03	0.031	0.032	0.035	0.047	0.050
5	11/08/2016	08:23:03	0.022	0.022	0.023	0.029	0.030
6	11/08/2016	08:38:03	0.013	0.013	0.014	0.016	0.016
7	11/08/2016	08:53:03	0.013	0.014	0.014	0.016	0.016
8	11/08/2016	09:08:03	0.013	0.013	0.014	0.015	0.016
9	11/08/2016	09:23:03	0.015	0.015	0.015	0.017	0.018
10	11/08/2016	09:38:03	0.016	0.016	0.016	0.018	0.018
11	11/08/2016	09:53:03	0.017	0.017	0.017	0.019	0.019
12	11/08/2016	10:08:03	0.020	0.020	0.020	0.022	0.023
13	11/08/2016	10:23:03	0.018	0.018	0.019	0.020	0.021
14	11/08/2016	10:38:03	0.017	0.018	0.018	0.020	0.020
15	11/08/2016	10:53:03	0.016	0.017	0.017	0.019	0.019
16	11/08/2016	11:08:03	0.017	0.018	0.018	0.020	0.020
17	11/08/2016	11:23:03	0.019	0.019	0.020	0.022	0.022
18	11/08/2016	11:38:03	0.021	0.021	0.022	0.024	0.024
19	11/08/2016	11:53:03	0.024	0.024	0.025	0.029	0.030
20	11/08/2016	12:08:03	0.023	0.024	0.025	0.027	0.028
21	11/08/2016	12:23:03	0.024	0.024	0.025	0.028	0.028
22	11/08/2016	12:38:03	0.024	0.024	0.025	0.028	0.028
23	11/08/2016	12:53:03	0.023	0.024	0.024	0.026	0.027
24	11/08/2016	13:08:03	0.025	0.025	0.026	0.028	0.028
25	11/08/2016	13:23:03	0.035	0.035	0.036	0.039	0.039
26	11/08/2016	13:38:03	0.035	0.036	0.036	0.038	0.039
27	11/08/2016	13:53:03	0.033	0.033	0.034	0.036	0.037
28	11/08/2016	14:08:03	0.030	0.030	0.031	0.033	0.033
29	11/08/2016	14:23:03	0.028	0.028	0.029	0.031	0.032
30	11/08/2016	14:38:03	0.033	0.033	0.033	0.035	0.035
31	11/08/2016	14:53:03	0.034	0.034	0.035	0.037	0.037
32	11/08/2016	15:08:03	0.033	0.033	0.034	0.036	0.036
33	11/08/2016	15:23:03	0.031	0.031	0.032	0.034	0.034
34	11/08/2016	15:38:03	0.029	0.029	0.030	0.032	0.033

Monitoring Results / Reports
(Wednesday, November 9, 2016)

ACTIVITY	SERIAL NUMBER	LOCATION
EX 83/4 – RCRA RFI Soil Sampling	8533132408	Upwind
EX 83/4 – RCRA RFI Soil Sampling	8533113401	Downwind



Exide Technologies
2700 Indiana Street
Vernon, CA 90058

11/9/2016 EX-83 Drilling in the
Retention Pond

Test 003

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/09/2016
Instrument S/N	8533132408	Start Time	07:01:45
		Stop Date	11/09/2016
		Stop Time	15:16:45
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/09/2016	07:16:45	0.033	0.034	0.035	0.040	0.041
2	11/09/2016	07:31:45	0.030	0.031	0.031	0.033	0.034
3	11/09/2016	07:46:45	0.030	0.030	0.031	0.032	0.033
4	11/09/2016	08:01:45	0.029	0.030	0.030	0.032	0.032
5	11/09/2016	08:16:45	0.029	0.029	0.030	0.032	0.032
6	11/09/2016	08:31:45	0.031	0.031	0.032	0.034	0.035
7	11/09/2016	08:46:45	0.030	0.030	0.031	0.033	0.033
8	11/09/2016	09:01:45	0.029	0.030	0.030	0.033	0.033
9	11/09/2016	09:16:45	0.030	0.030	0.030	0.032	0.033
10	11/09/2016	09:31:45	0.030	0.030	0.031	0.033	0.033
11	11/09/2016	09:46:45	0.030	0.031	0.031	0.034	0.034
12	11/09/2016	10:01:45	0.031	0.031	0.032	0.035	0.035
13	11/09/2016	10:16:45	0.031	0.031	0.032	0.035	0.035
14	11/09/2016	10:31:45	0.033	0.033	0.034	0.037	0.037
15	11/09/2016	10:46:45	0.033	0.033	0.034	0.036	0.036
16	11/09/2016	11:01:45	0.034	0.035	0.035	0.037	0.038
17	11/09/2016	11:16:45	0.035	0.035	0.036	0.037	0.038
18	11/09/2016	11:31:45	0.035	0.035	0.035	0.037	0.038
19	11/09/2016	11:46:45	0.035	0.036	0.036	0.038	0.038
20	11/09/2016	12:01:45	0.036	0.036	0.037	0.039	0.039
21	11/09/2016	12:16:45	0.038	0.038	0.038	0.040	0.041
22	11/09/2016	12:31:45	0.037	0.037	0.038	0.039	0.039
23	11/09/2016	12:46:45	0.036	0.036	0.037	0.038	0.039
24	11/09/2016	13:01:45	0.037	0.037	0.038	0.039	0.040
25	11/09/2016	13:16:45	0.036	0.037	0.037	0.038	0.039
26	11/09/2016	13:31:45	0.037	0.037	0.037	0.039	0.039
27	11/09/2016	13:46:45	0.039	0.039	0.040	0.041	0.042
28	11/09/2016	14:01:45	0.037	0.037	0.038	0.039	0.039
29	11/09/2016	14:16:45	0.039	0.039	0.040	0.041	0.042
30	11/09/2016	14:31:45	0.039	0.039	0.040	0.041	0.041
31	11/09/2016	14:46:45	0.039	0.040	0.040	0.041	0.041
32	11/09/2016	15:01:45	0.040	0.040	0.041	0.042	0.042
33	11/09/2016	15:16:45	0.044	0.044	0.045	0.047	0.047

Test 003

Instrument		Data Properties	
Model	DustTrak DRX	Start Date	11/09/2016
Instrument S/N	8533113401	Start Time	07:03:44
		Stop Date	11/09/2016
		Stop Time	15:18:44
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Test Data							
Data Point	Date	Time	PM1 mg/m ³	PM2.5 mg/m ³	RESP mg/m ³	PM10 mg/m ³	TOTAL mg/m ³
1	11/09/2016	07:18:44	0.016	0.016	0.017	0.023	0.024
2	11/09/2016	07:33:44	0.015	0.015	0.016	0.017	0.017
3	11/09/2016	07:48:44	0.011	0.011	0.012	0.013	0.013
4	11/09/2016	08:03:44	0.013	0.013	0.014	0.015	0.016
5	11/09/2016	08:18:44	0.012	0.012	0.013	0.014	0.014
6	11/09/2016	08:33:44	0.012	0.012	0.013	0.014	0.014
7	11/09/2016	08:48:44	0.011	0.012	0.012	0.014	0.014
8	11/09/2016	09:03:44	0.014	0.014	0.015	0.016	0.016
9	11/09/2016	09:18:44	0.010	0.010	0.011	0.012	0.012
10	11/09/2016	09:33:44	0.010	0.011	0.011	0.013	0.013
11	11/09/2016	09:48:44	0.010	0.010	0.011	0.012	0.012
12	11/09/2016	10:03:44	0.010	0.010	0.011	0.012	0.013
13	11/09/2016	10:18:44	0.009	0.010	0.010	0.012	0.012
14	11/09/2016	10:33:44	0.009	0.009	0.010	0.011	0.011
15	11/09/2016	10:48:44	0.009	0.009	0.010	0.011	0.011
16	11/09/2016	11:03:44	0.009	0.009	0.009	0.010	0.011
17	11/09/2016	11:18:44	0.009	0.009	0.009	0.010	0.011
18	11/09/2016	11:33:44	0.008	0.008	0.009	0.010	0.010
19	11/09/2016	11:48:44	0.008	0.008	0.008	0.009	0.009
20	11/09/2016	12:03:44	0.008	0.008	0.009	0.010	0.010
21	11/09/2016	12:18:44	0.008	0.008	0.009	0.009	0.009
22	11/09/2016	12:33:44	0.008	0.008	0.009	0.010	0.010
23	11/09/2016	12:48:44	0.008	0.008	0.009	0.010	0.010
24	11/09/2016	13:03:44	0.008	0.009	0.009	0.010	0.010
25	11/09/2016	13:18:44	0.009	0.009	0.009	0.010	0.010
26	11/09/2016	13:33:44	0.008	0.008	0.008	0.009	0.009
27	11/09/2016	13:48:44	0.010	0.010	0.010	0.011	0.011
28	11/09/2016	14:03:44	0.008	0.009	0.009	0.010	0.010
29	11/09/2016	14:18:44	0.010	0.010	0.011	0.012	0.012
30	11/09/2016	14:33:44	0.009	0.009	0.009	0.010	0.010
31	11/09/2016	14:48:44	0.009	0.009	0.009	0.010	0.010
32	11/09/2016	15:03:44	0.010	0.010	0.011	0.012	0.012
33	11/09/2016	15:18:44	0.020	0.020	0.021	0.022	0.022