2010

In the spring of 2010, the South Coast Air Quality Management District conducted a survey of Architectural Coatings Manufacturers to determine the type of colorants that are currently being used to tint coatings at the point of sale for architectural and industrial maintenance applications. This survey was conducted while researching the feasibility of setting a VOC limit on those colorants.

Proposed Amended Rule 1113


Table of Contents

Introduction	3
General Survey	
Targeted Survey	18
Retail Survey	30
Compiled Surveys	35
Discussion	42
Estimated VOC Emissions	43

Introduction

In early 2010 the South Coast Air Quality Management District (AQMD) released three surveys on the use of colorants to tint coatings. The AQMD is interested in the use of colorants due to their potential significant contribution on overall Volatile Organic Compound (VOC) levels of the coatings, expected to be 3-4 tons of VOCs. Currently, the AQMD does not include the point-of-sale (POS) addition of these colorants in the coatings' VOC levels.

The surveys were sent out in April, 2010, after receiving valuable feedback from some manufactures of the coatings industry, including small and large manufactures of coatings, pigment supplies, and the American Coatings Association (ACA). The first survey was a general survey sent to the 288 contacts on AQMD's Rule 1113 subscribers list that are identified as architectural coatings manufacturers. According to Rule 314 reporting, there are approximately 200 manufacturers selling architectural coatings in the AQMD. The second survey was a targeted survey sent to the 35 coating manufacturers who are listed on the AQMD's Super-Compliant Coatings Manufacturers List. The third and final survey focused on retailers. The survey was sent electronically to the 11 retailer contacts in the Rule 1113 subscribers list. In addition, hard copies of the survey were circulated to retail locations throughout the AQMD. The surveys were anonymous; therefore no data from specific companies were recorded.



Of the 288 architectural coatings manufacturers on the Rule 1113 subscribers list, 47 responded to the general survey. Of the 35 Super-Compliant Coatings Manufacturers, 14 responded to the targeted survey. The retail had 33 respondents.


This report is a summary of surveys.

General Survey

General Survey

The general survey went out to 482 coating manufacture contacts and consisted of 19 questions and began with several basic questions, for example, total number of employees, NAICS category, and colorant use.

1. What is the total number of employees?			
Answer Options	Response Count		
	45		
answered question	45		
skipped question	2		




General Survey

2. What is the NAICS labor category for your business?				
Answei	Options	Response Count		
		39		
	answered question	39		
	skipped question	8		

NAICS Labor Code	Description	# of Companies
325510	Architecutral Coatings	28
424950	Paint, Varnish, and Supplies Merchant Wholesalers	2
325211	Plastic Materials and Resin Manufacturing	2
325181	Alkalies and Chlorine Manufacturing	2
325131	Inorganic Dye and Pigment Manufacturing	1
339999	All Other Miscelleous Manufacturing	1
339999	All Other Miscellaneous Manufacturing	1
325998	All Other Miscellaneous Chemical Product and Preparation Manufacturing	1
2851		1

Does your company use colorants at the for sale to consumers in the AQMD?	ne point of sale (POS)	to tint coati	ngs
Answer Options	Response Percent	Response Count	
Yes	37.8%	17	
No	62.2%	28	
	answered question		45
	skipped question		2





DRAFT: Survey results are still under evaluation. This report is subject to further revision. 5

General Survey

4. How many total colorant dispensers of purpose located in the AQMD?	does your company	have for that
Answer Options	Response Percent	Response Count
None	33.3%	5
Up to 10	33.3%	5
Up to 20	6.7%	1
Up to 50	6.7%	1
Not sure	6.7%	1
Other (please specify)	13.3%	2
170, >60		
	answered question	15
	skipped question	32

5. What percent of the volume of you sale?	r coatings are tinted	at the point of
Answer Options	Response Percent	Response Count
None	7.1%	1
0-10%	35.7%	5
10 – 20%	14.3%	2
20 – 50%	0.0%	0
> 50%	35.7%	5
Not sure	7.1%	1
	answered question	14
	skipped question	33

Do you make your own colorant of source? Check all that apply.	r purchase them fro	om an outs	ide
Answer Options	Response Percent	Response Count	
Make own colorant	13%	2	
Purchase from outside source	87%	13	
	answered question		13
	skipped question		34

Note: respondents who answered "no" to question three automatically skipped this question.

General Survey

7. If you purchase colorant from an outside your supplier?	source, who	o is
Answer Options	Response Count	
	12	
answered question		12
skipped question		35

Colorant Source	# of
	Companies
Evonik	7
Consolidated Color	3
Plasticolors	4
Basf	1
Sierra	1
Clariant	1
Engelhart	1
Color Corporation of America	1
Elementis	2

Note: several manufacturers indicated that they purchased colorants from multiple suppliers, hence the total companies reported exceeds the response count.

8. What type(s) of dispensing equip					them requir	e different
Answer Options	Solvent Based IM	Waterborne IM	Solvent Based Architectural	Waterborne Architectural	Different Dispenser	Response Count
Universal colorant	2	2	3	6	0	7
Colorant solely for solvent based coatings	3	0	1	0	1	3
Colorant solely for waterborne coatings	1	4	0	5	1	8
Near-zero VOC universal colorant (< 5g/L)	0	0	0	1	1	2
Near-zero VOC colorant solely for waterborne coatings	0	1	0	3	1	4
Other	0	0	0	0	0	0
Other (please specify)				1		
Whatever is in 888						
			answered	question		13
			skipped	guestion		34


General Survey

9. What type of solvent is used in the colorant(s) yo	ou use? Check	all that app	ly.	
Answer Options	Petroleum Distillates	Glycols	None	Response Count
Universal colorant	2	6	1	7
Colorant solely for solvent based coatings	3	1	1	4
Colorant solely for waterborne coatings	0	4	2	6
Near-zero VOC universal colorant	0	1	2	3
Near-zero VOC colorant solely for waterborne coatings	0	2	3	5
Other	1	0	1	2
Other (please specify)				2
888, acetate esters, glycol ethers				
		an	swered questio	on 1 1
skipped question			on 3 6	

10. What is the VOC content of the	colorant syst	em(s) you cu	rrently use?	Check all tha	it apply.
Answer Options	0 - 50 g/L	50 - 100 g/L	100 - 250 g/L	> 250 g/L	Response Count
Universal colorant	1	0	0	5	6
Colorant solely for solvent based coatings	0	0	0	3	3
Colorant solely for waterborne coatings	1	1	1	3	6
Near-zero VOC universal colorant	3	0	0	0	3
Near-zero VOC colorant solely for waterborne coatings	4	0	0	0	4
Other	0	0	0	0	0
Other (please specify)					1
			answer	ed question	11
			skipp	ed question	36

General Survey


11. Are there any coating categories that your company requires conventional VOC-containing colorants to tint successfully?			onal
Answer Options	Response Percent	Response Count	
IM	37.5%	3	
Architectural	62.5%	5	
Other (please specify)		2	
	answered question		8
	skipped question		39




General Survey

12. Have you experienced problems associated with either dispensing equipment or coatings to which near zero-VOC (< 5g/L) colorants have been added?

Answer Options	Response Percent	Response Count	•
Yes	50.0%	5	
No	50.0%	5	
Explain		6	
	answered question		10
	skipped question		37






^{*} foam, gloss, durability, water sensitivity, & blocking


General Survey

 Do you currently use or are you cond near zero-VOC colorants (< 5 g/L)? 	lucting research and d	evelopmen [.]	t on
Answer Options	Response Percent	Response Count	
Yes	44.7%	17	
No	44.7%	17	
Not Sure	10.5%	4	
	answered question		38
	skipped question		9



General Survey

14. What was the timeframe or wh the development?	at is the estimated timefra	me to comp	lete
Answer Options	Response Percent	Response Count	!
< 6 months	18.2%	4	
6 - 12 months	9.1%	2	
1 - 2 years	13.6%	3	
> 2 years	9.1%	2	
Not sure	50.0%	11	
	answered question		22
	skipped question		25



General Survey


15. What was the timeframe or what is the estimated timeframe to implement and train paint retail facilities on the use of near zero-VOC (< 5 g/L) colorants once the development was/is complete?

Answer Options	Response Percent	Response Count
< 6 months	18.2%	4
6 - 12 months	9.1%	2
1 -2 years	27.3%	6
> 2 years	0.0%	0
Not sure	45.5%	10
	answered question	22
	skipped question	25



General Survey


16. Does that colorant system	require a different dispensing uni	t?	
Answer Options	Response Percent	Response Count	
Yes	27.3%	6	
No	22.7%	5	
Not Sure	50.0%	11	
	answered question		22
	skipped question		25



General Survey

17. How many of the colorant disp question 4) are designed or ca (< 5 g/L) colorants?			
Answer Options	Response Percent	Response Count	
None	64.7%	11	
Up to 10%	0.0%	0	
Up to 20%	11.8%	2	
Up to 50%	0.0%	0	
Other (please specify)	23.5%	4	
	answered question		17
	skipped question		30


Other (please specify)	Response Count
No dispensers in SCAQMD	3
All of them	1



Note: the respondents who answered "no" to the previous question automatically skipped this question.


General Survey

18. What is the estimated one-ti	me cost of retrofitting a colora	nt dispensei	?
Answer Options	Response Percent	Response Count	
0 - \$500	12.5%	2	
\$500 - \$5000	18.8%	3	
\$5000 - \$20,000	6.3%	1	
> \$20,000	0.0%	0	
Not Sure	62.5%	10	
	answered question		16
	skipped question		31



General Survey

19. What is the one-time cost of a new dispenser?	v near zero-VOC (<	5 g/L) colorant
Answer Options	Response Percent	Response Count
0 - \$500	0.0%	0
\$500 - \$5000	6.7%	1
\$5000 - \$20,000	33.3%	5
> \$20,000	6.7%	1
Not Sure	53.3%	8
	answered question	15
	skipped question	32




Targeted Survey

Targeted Survey

The second survey was a targeted survey which went to the coating manufactures who are included on the AQMD Super-Compliant Manufacturers List. Those companies more likely would have already experimented with near zero-VOC colorants so could provide more insight on the transition.

1. What is the total number of employees?	
Answer Options	Response Count
	14
answered ques	tion 14
skipped ques	tion 0



This survey is comprised of a greater number of large companies.

2. What is the labor category for your business?					
Answei	r Options	Response Count			
		12			
	answered question		12		
	skipped question		2		

NAICs Code	Labor	Description	# of Companies
325510		Architecutral Coatings	11
?			1

3. Does your company use colorants at the point of sale to tint coatings fo sale to consumers in the AQMD?					
Answer Options	Response Percent	Response Count			
Yes	50%	7			
No	50%	7			
	answered question		14		
	skipped question		0		

4. How many total colorant dispenser purpose located in the AQMD?	s does your compar	y have for that
Answer Options	Response Percent	Response Count
None	0%	0
Up to 10	40%	2
Up to 20	0%	0
Up to 50	20%	1
Not sure	0%	0
Other (please specify)	40%	2
170, >60		
	answered question	5
	skipped question	9

What percent of the volume of you sale (POS)?	r coatings are tinted	at the point of		
Answer Options	Response Percent	Response Count		
None	0%	0		
0 - 10%	0%	0		
10 - 20%	25%	1		
20 - 50%	25%	1		
> 50%	50%	2		
Not sure	0%	0		
	answered question	4		
skipped question				

Targeted Survey

Do you make your own colorant source? Check all that apply.	or purchase them from	om an outside
Answer Options	Response Percent	Response Count
Make own colorant	50%	3
Purchase from outside source	50%	3
	answered question	5
	skipped question	9

7. If you purchase colorant from an outside source, who is your supplier?					
Answer Options	Response Count				
	3				
answered question	3				
skipped question	11				

Colorant Source	Response Count
Consolidated color	1
Elementis	2
Evonik	2

Note: respondents listed multiple companies; hence the response count exceeds the number who answered the question.

Targeted Survey

8. What type(s) o dispensing equi			u currently use colorants? Checl		them requir	e different
Answer Options	Solvent Based IM	Waterborn e IM	Solvent Based Architectura I	Waterborne Architectura I	Different Dispense r	Response Count
Universal colorant	0	0	2	2	1	2
Colorant solely for solvent based coatings	4	1	1	0	3	4
Colorant solely for waterborne coatings	0	2	0	1	1	2
Near-zero VOC universal colorant (< 5g/L)	0	0	0	0	0	0
Near-zero VOC colorant solely for waterborne coatings	0	2	0	1	1	3
Powder tinting	0	0	0	1	0	1
Other	0	1	0	0	1	1
Other (please specify)						1
Solely for Waterborne	<15 g/L					
				answere	ed question	5
				skippe	ed question	9

None of the responding companies are using near-zero VOC universal colorants. The majority are using colorants for solvent based coatings.

9. What type of solvent is used in the colorant(s) you use? Check all that apply.						
Answer Options	Petroleum Distillates	Glycols	None	Response Count		
Universal colorant	0	2	0	2		
Colorant solely for solvent based coatings	3	0	0	3		
Colorant solely for waterborne coatings	0	2	0	2		
Near-zero VOC universal colorant	0	0	0	0		
Near-zero VOC colorant solely for waterborne coatings	0	1	2	3		
Powder tinting	0	0	1	1		

Other	0	0	0	0	
Other (please specify)				1	
CONFIDENTIAL BUSINESS INFORMATION					
			red question	٤	5
skipped question			ģ	9	

10. What is the VOC content of the colorant system(s) you currently use? Check all that apply.						
Answer Options	0 - 50 g/L	50 - 100 g/L	100 - 250 g/L	> 250 g/L	Response Count	
Universal colorant	0	0	0	2	2	
Colorant solely for solvent based coatings	0	0	0	4	4	
Colorant solely for waterborne coatings	2	0	0	1	3	
Near-zero VOC universal colorant	0	0	0	0	0	
Near-zero VOC colorant solely for waterborne coatings	4	0	0	0	4	
Powder tinting	0	0	0	0	0	
Other	0	0	0	0	0	
Other (please specify)					0	
INDUSTRIAL COATINGS, MARINE COATINGS, & AEROSPACE COATINGS						
			answere	ed question	5	
skipped question					9	


11. Are there any coating categories that your company requires conventional VOC-containing colorants to tint successfully?			onal
Answer Options	Response Percent	Response Count	
IM	75%	3	
Architectural	25%	1	
Other (please specify)		1	
	answered question		4
	skipped question		10

Targeted Survey

skipped question

10


12. Have you experienced problems a equipment or coatings to which near been added?		
Answer Options	Response Percent	Response Count
Yes	100%	4
No	0%	0
Explain		5
	answered question	4




*We originally had a lot of problems related to clogging of dispensing tips, clogging/damage to dispensing unit recirculation pumps. We ended up having to change to a different line of colorant and make some minor equipment modifications to resolve this problem. This was a huge issue and took a couple of years to resolve. We are now 100% zero VOC colorants for all waterborne products. Certain lines of colorants can have adverse performance properties of the coating such as adhesion or foaming due to the high levels of surfactants in the low VOC colorants.

13. Do you currently use or are you conducting research and development on near zero-VOC colorants (< 5 g/L)?			on
Answer Options	Response Percent	Response Count	
Yes	100%	12	
No	0%	0	
Not Sure	0%	0	
	answered question		12
	skipped question		2

14. What was the timeframe or what is the estimated timeframe to complete the development?		
Answer Options	Response Percent	Response Count
< 6 months	45.5%	5
6 - 12 months	0.%	0
1 - 2 years	27.3%	3
> 2 years	18.2%	2
Not sure	9.1%	1
	answered question	11
	skipped question	3




15. What were the timeframe or what is the estimated timeframe to implement and train paint retail facilities on the use of near zero-VOC (< 5 g/L) colorants once the development was/is complete?		
Answer Options	Response Percent	Response Count
< 6 months	45.5%	5
7 - 12 months	27.3%	3
1 -2 years	18.2%	2
> 2 years	0.0%	0
Not sure	9.1%	1
	answered question	11
	skipped question	3



Targeted Survey

16. Does that colorant system require a different dispensing unit?			
Answer Options	Response Percent	Response Count	
Yes	27.3%	3	
No	27.3%	3	
Not Sure	45.5%	5	
	answered question		11
	skipped question		3



17. How many of the colorant dispensers you currently have in the AQMD (see question 4) can be retrofitted for the use of near zero-VOC (< 5 g/L) colorants?			
Answer Options	Response Percent	Response Count	
None	54.5%	6	
Up to 10%	0.0%	0	
Up to 20%	0.0%	0	
Up to 50%	9.1%	1	
Other (please specify)	36.4%	4	
Our distributors have dispensers			
Task already completed			
Currently using zero VOC for waterborne; technology is not available	solvent based		
ABOUT 60%			
ans	wered question	11	
SI	kipped question	3	

18. What is the estimated one-time cost of retrofitting a colorant dispenser?			
Answer Options	Response Percent	Response Count	
0 - \$500	9.1%	1	
\$500 - \$5000	18.2%	2	
\$5000 - \$20,000	0%	0	
> \$20,000	9.1%	1	
Not Sure	63.6%	7	
	answered question	11	
skipped question		3	

19. What is the equipment life of the retrofitted dispenser?		
Answer Options	Response Percent	Response Count
0 - 5 years	0.0%	0
5 - 10 years	18.2%	2
10 - 20 years	9.1%	1
> 20 years	0.0%	0
Not sure	72.7%	8
	answered question	11
	skipped question	3

20. What is the one-time cost of training	for the retrofitted dis	spenser?
Answer Options	Response Percent	Response Count
0 - \$50	18.2%	2
\$50 - \$100	0.0%	0
\$100 - \$500	9.1%	1
> \$500	0.0%	0
Not sure	72.7%	8
	answered question	11
	skipped question	3

21. What is the additional operating an the retrofitted dispenser?	d maintenance cost	associated with
Answer Options	Response Percent	Response Count
0 - \$50	18.2%	2
\$50 - \$100	0%	0
\$100 - \$500	0%	0
> \$500	0%	0
Not sure	81.8%	9
	answered question	11
	skipped question	3

22. How many of the colorant dispensers you currently have in the AQMD are designed for use with near zero-VOC (<5 g/L) colorants?			
Answer Options	Response Percent	Response Count	
None	36.4%	4	
Up to 10%	9.1%	1	
Up to 20%	0.0%	0	
Up to 50%	0.0%	0	
Not sure	36.4%	4	
Other (please specify)	18.2%	2	
	answered question	11	
	skipped question	3	

23. What is the one-time cost of a new dispenser?	w near zero-VOC (<	5 g/L) colorant
Answer Options	Response Percent	Response Count
0 - \$500	0%	0
\$500 - \$5000	0%	0
\$5000 - \$20,000	18.2%	2
\$20,000 - \$35,000	18.2%	2
> \$35,000	9.1%	1
Not Sure	54.5%	6
	answered question	11
	skipped question	3

24. What is the equipment life of a ne dispenser?	w near zero-VOC (<	5 g/L) colorant
Answer Options	Response Percent	Response Count
0 - 5 years	0.0%	0
5 - 10 years	9.1%	1
10 - 20 years	27.3%	3
> 20 years	9.1%	1
Not sure	54.5%	6
	answered question	11
	skipped question	3

25. What is the one-time cost of trainin colorant dispenser?	ng for a new near-ze	ro VOC (<5 g/L)
Answer Options	Response Percent	Response Count
0 - \$50	0.0%	0
\$50 - \$100	9.1%	1
\$100 - \$500	18.2%	2
> \$500	9.1%	1
Not sure	63.6%	7
	answered question	11
	skipped question	3

26. What is the additional operating and maintenance cost associated with a new near-zero VOC (<5 g/L) colorant dispenser?		
Answer Options	Response Percent	Response Count
0 - \$50	9.1%	1
\$50 - \$100	0%	0
\$100 - \$500	0%	0
> \$500	9.1%	1
Not sure	81.8%	9
	answered question	n 11
	skipped questioi	n 3

Retail Survey

Retail Survey

AQMD inspectors visited various retail stores to distribute surveys. The number of retail locations were not recorded therefore the percentage of responses are unknown.

1. What is the total number of employees?		
r Options	Response Count	
	32	
answered questio	on 32	
skipped questio	on 1	



2. How many retail locations in the AQM	D?	
Answer Options	Response Percent	Response Count
1-5	50.0%	16
5 - 10	6.3%	2
10 - 20	0.0%	0
> 20	43.8%	14
	answered question	32
	skipped question	1

Retail Survey




3. What is the NAICs labor category for your business?		
Answer Options	Response Count	
	15	
answered question		15
skipped question		18

NAICs Labor	Description	#	of
Category		Retailers	
444120	Paint and Wallpaper Stores	12	
325510	Paint and Coating Manufacturing	1	
	Retail/Wholesale	1	
	Unknown	1	

Retail Survey


4. Does your company use colorants a sale to consumers in the AQMD?	t the point of sale to ti	nt coatings	for
Answer Options	Response Percent	Response Count	
Yes	81.8%	27	
No	18.2%	6	
	answered question		33
	skipped question		0



How many total colorant dispensers purpose located in the AQMD?	does your company	/ have for that
Answer Options	Response Percent	Response Count
None	0.0%	0
Up to 10	85.2%	23
Up to 20	7.4%	2
Up to 50	0.0%	0
Other (please specify)	7.4%	2
>60		
>50		
	answered question	27
	skipped question	6


Retail Survey

6. What percentage of the coatings the customer?	hat you sell, do yoι	ı tint for the
Answer Options	Response Percent	Response Count
None	0.0%	0
0-10%	7.7%	2
10 – 20%	7.7%	2
20 – 50%	30.8%	8
> 50%	53.8%	14
	answered question	26
	skipped question	7



Retail Survey

7. What is the average volume (in o	ounces) of colorant added p	per gallon?
Answer Options	Response Percent	Response Count
0 - 2	20.0%	5
2 - 4	56.0%	14
4 - 6	24.0%	6
6 - 10	0.0%	0
> 10	0.0%	0
	answered question	25
	skipped question	8




Compiled General & Targeted Surveys

Compiled Surveys


In this section, the results from the general and targeted surveys were combined by their similar questions.

What is the total number of employees?



As seen from the results above, the general survey had more companies with less than 100 empolyees, whereas the targeted survey had companies with a greater number of employees.


Does your company use colorants at the point of sale to tint coatings for sale to consumers in the AQMD?



DRAFT: Survey results are still under evaluation. This report is subject to further revision. 35


Compiled General & Targeted Surveys

What percent of the volume of your coatings are tinted at the point of sale?



When combining the general and tageted survey responses, the majority of the companies are tinting over 50% of their coatings at the point of sale.

Do you make your own colorant or purchase from an outside source?




Compiled General & Targeted Surveys

What is the VOC content of the colorant system(s) you currently use? Check all that apply.


Answer Options	0 - 50 g/L	50 - 100 g/L	100 - 250 g/L	> 250 g/L
Universal colorant	1	0	0	7
Colorant solely for solvent based coatings	0	0	0	7
Colorant solely for waterborne coatings	3	1	1	4
Near-zero VOC universal colorant	3	0	0	0
Near-zero VOC colorant solely for waterborne	8	0	0	0
Other	0	0	0	0


Are there any coating categories that your company requires conventional VOC-containing colorants to tint successfully?



Compiled General & Targeted Surveys


Have you experienced problems associated with either dispensing equipment or coatings to which near zero-VOC (< 5g/L) colorants have been added?






Compiled General & Targeted Surveys

Do you currently use or are you conducting research and development on near zero-VOC colorants?




What was the timeframe or what is the estimated timeframe to complete the development?




Compiled General & Targeted Surveys

What were the timeframe or what is the estimated timeframe to implement and train paint retail facilities on the use of near zero-VOC (< 5 g/L) colorants once the development was/is complete?




Does that colorant system require a different dispensing unit?




Compiled General & Targeted Surveys

How many of the colorant dispensers you currently have in the AQMD (see question 4) are designed or can be retrofitted for the use of near zero-VOC (< 5 g/L) colorants?



What is the estimated one-time cost of retrofitting a colorant dispenser?



Discussion and Emission Calculation

Discussion

Staff appreciates all of the manufacturer's and retailer's time in filling out the surveys. The results are insightful. The survey definitively shows that manufacturers are working toward the use of near-zero VOC colorants. The largest hurdle appears to be the issue of tip drying in the dispenser which can lead to miss-tints. For several manufacturers these issues have been resolved and they have gone forward to successfully utilize near-zero VOC colorants. The survey results for which coatings require conventional colorants was split down the middle. Further feedback outside of this survey indicates that the higher performance IM coatings require conventional colorants but are not tinted at the point of sale in large quantities. In site visits to local retailers, staff documented the use of a near-zero VOC colorant for waterborne IM coatings being added in a conventional dispenser.

In discussions with manufacturer who have either switched to near-zero VOC colorant, there are several options each of which present different challenges.

Powder tinting	Pigments must be pre-packaged which limits color selection. Dispenser for powder pigments not yet commercially available. No negative impact on film properties.
Universal colorant containing humectants	Humectants help issue with tip drying but can have detrimental effect on the film properties, especially for saturated colors in deep bases. Reported problems include film softness and blocking.
Waterborne colorant with no humectants	Less impact on film properties but tip drying is an issue which requires dispensing equipment with humidification units.

In addition, staff documented near-Zero VOC colorants being used with both a conventional carousel dispenser and with a dispenser missing the sponge used to keep the tip wet. In both instances the retail staff indicated that the dispensers needed 5 minutes of daily maintenance to keep the nozzles clear. No additional maintenance was mentioned at retail locations containing the dispensing units containing the full humidification units.

Discussion and Emission Calculation

Estimated VOC Emissions

Based on the results from the surveys and the 2008 calendar year Rule 314 Annual Quantity and Emissions Reports, the VOC emissions from colorant added at the POS can be estimated. The majority of the respondents to the surveys indicated that more than 50% of the products sold in stores are tinted with colorants, the majority of which are flat or non-flat coatings. The highest sales are for light base (up to 4 ounces) followed by the saturated colors of the clear bases (up to 12 ounces). The VOC emissions estimate below assumes the VOC content of colorant to be 500 g/L, based on what has been documented in the field. This analysis only included Flat, Non-Flat and IM coatings even though other coatings are also tinted at the point of sale (Stains, Quick Dry Enamels, Rust Preventative Coatings, Recycled Coatings, etc.).

Category	Volume Sold (gallons)	Emissions (tpd)				
	Colorant Added:	3 oz	4 oz	5 oz	6 oz	
Flat & Non-Flat	23,210,597	3.11	4.14	5.18	6.23	
IM Solvent Based	386,484	0.05	0.07	0.09	0.10	
IM Waterborne	426,417	0.06	0.08	0.10	0.11	